

SENSORS ACTUATORS B CHEMICAL Volume B27, Numbers 1-3, June 1995

Contents

| Electronic Noses | |
|---|-------|
| | 221 |
| A new generation of integrated electronic noses | . 22: |
| Application of neural-network systems to the dynamic response of polymer-based sensor arrays | |
| A self-organizing system for pattern classification: time varying statistics and sensor drift effects | 237 |
| A fast and reproducible method for gas sensor screening to flavour compounds | |
| Identification of paper quality using a hybrid electronic nose | 246 |
| Application of a multi-gas-sensor device in the meat industry for boar-taint detection | 250 |
| The development of an electronic 'nose' for industrial and environmental applications | 255 |
| Smart Gas Sensors | |
| Intelligent gas sensing using an integrated sensor pair | 261 |
| Improvement in signal evaluation methods for semiconductor gas sensors | |
| Smart chemical sensing arrays using tin oxide sensors and analog winner-take-all signal processing | 271 |
| Dynamic calibration of QMB polymer-coated sensors by Wiener kernel estimation | |
| Compensation of the influence of humidity on the measurement of an SO_2 sensor by signal processing J. Pichlmaier (Neubiberg, Germany) | 286 |
| Qualitative and quantitative gas analysis with non-linear interdigital sensor arrays and artificial neural networks G. Niebling, A. Schlachter (Munich, Germany) | 289 |
| A piezoelectric oxygen transducer based on paramagnetic properties: the TOPP sensor | 293 |
| Thick film pellistor array with a neural network post-treatment | 297 |
| Humidity Sensors | |
| New concept of integrated Peltier cooling device for the preventive detection of water condensation P. Ancey, M. Gschwind (Sophia Antipolis, France), O. Vancauwenberghe (Noisy-le-Grand, France) | 303 |
| In situ formation of humidity-sensitive devices for the evaluation of solar panel encapsulations | 308 |

| Effect of electrode alterations on the a.c. behaviour of Li ₂ O-ZnO humidity sensors | 312 |
|--|-----|
| Surface acoustic wave (SAW) dew point sensor: application to dew point hygrometry | 315 |
| ISFETs | |
| Application of simple thioether ionophores to silver ion-selective CHEMFETs | |
| Ion-sensitive field-effect transistors with ultrathin Langmuir-Blodgett membranes | 325 |
| Sensitive membrane ISFETs for nitrate analysis in waters | 329 |
| Application of nickel electroless plating to the fabrication of low-cost backside contact ISFETs | 336 |
| Development of a pH-sensitive ISFET suitable for the fabrication in a volume production environment A. Garde, J. Alderman, W. Lane (Cork, Ireland) | 341 |
| Investigation of the dynamic response behaviour of ISFET pH sensors by means of laser Doppler velocimetry (LDV) W. Oelßner, J. Zosel, F. Berthold, H. Kaden (Meinsberg, Germany) | 345 |
| Potentiometric Electrochemical Sensors | |
| Spectroscopic studies of chalcogenide glass membranes of chemical sensors: local structure and ionic response E. Bychkov (St. Petersburg, Russia) | 351 |
| Electrochemical microsensor for the detection of Na ⁺ ions | 360 |
| Characterization of the oxygen electrode reaction on stabilized zirconia at temperatures below 550 K S. Linquette Mailley, E. Djurado (Saint-Martin-d'Hères, France), G. Mairesse (Villeneuve d'Ascq, France), J. Fouletier (Saint-Martin-d'Hères, France) | 364 |
| The nitrate-selective sensor with crystalline membrane | 369 |
| Ion-selective electrodes based on p-1-adamantylcalix[8] arene ionophores for the determination of amino compounds N.V. Shvedene, M.Yu. Nemilova, V.V. Kovalev, E.A. Shokova, A.K. Rozov, I.V. Pletnev (Moscow, Russia) | 372 |
| Development and analytical evaluation of a multisensor system for water quality monitoring | 377 |
| Instrument with integrated sensors for a rapid determination of inorganic ions | 380 |
| Copper(II)-ion response of Cu-As-Se thin-film sensors in a flow-through microcell | 384 |
| Amperometric Electrochemical Sensors | |
| Amperometric electrochemical device for remote detection of degradation of fire-resistant fluid lubricants | 391 |
| Highly sensitive electrochemical microsensensors using submicrometer electrode arrays | 394 |
| Amperometric microelectrode array in containment technology | 398 |
| Electrochemical oxygen microsensors | 401 |
| Electrochemical Sensors Based on Impedance Measurement | |
| Use of amorphous silicon thin layers as an electrical transducer in an ion electrochemical sensor P. Fabry, E. Siebert (Saint-Martin D'Hères, France), J.C. Bruyère, P. Muret (Grenoble, France) | 407 |

| Dielectric control of the behaviour of ion-exchange resins | 411 |
|---|-----|
| Enzyme Biosensors | |
| Contribution of biosensors to oenology and constraints associated with their use | 417 |
| Glucose sensor based on an amperometric microelectrode with a photopolymerizable enzyme membrane | 421 |
| Amperometric enzyme/gas-diffusion electrodes | 425 |
| Determination of urea in blood serum by a urease biosensor based on an ion-sensitive field-effect transistor O.A. Boubriak, A.P. Soldatkin, N.F. Starodub, A.K. Sandrovsky, A.K. El'skaya (Kiev, Ukraine) | 429 |
| The effect of divalent metal ions on the performance of a glucose-sensitive ENFET using potassium ferricyanide as an oxidising substrate | |
| Design of a choline sensor via direct coating of the transducer by photopolymerization of the sensing layer B. Leca, R.M. Morelis, P.R. Coulet (Villeurbanne, France) | 436 |
| Comparison of the performances of two bi-enzymatic sensors for the detection of D-lactate | |
| Biosensors for Medical and Environmental Applications | |
| A comparison of three fluorophores for use in an optical biosensor for the measurement of prostate-specific antigen in whole blood | 447 |
| A shear-horizontal acoustic plate mode (SH-APM) sensor for biological media | 452 |
| Impedance analysis of Si/SiO ₂ structures grafted with biomolecules for the elaboration of an immunosensor C. Schyberg, C. Plossu, D. Barbier (Villeurbanne, France), N. Jaffrezic-Renault, C. Martelet, H. Maupas, E. Souteyrand (Ecully, France), MH. Charles, T. Delair, B. Mandrand (Lyon, France) | |
| A multi-sensor system for the non-invasive measurement of the activity of the autonomic nervous system A. Dittmar, H. Rada, G. Delhomme (Lyon, France), E. Vernet-Maury, C. Collet, R. Roure, R. Unterreiner, M. Robini (Villeurbanne, France), C. Delemer (Aix-en-Provence, France) | 461 |
| Continuous monitoring of sodium concentration in blood during haemodialysis by a selective membrane and conductivity sensor | 465 |
| Electric-field-mediated inhibition of cell and microparticle adhesion: a new way to create bio-repellent surfaces G. Fuhr, A. Voigt, T. Müller, B. Wagner, K. Reimer, T. Lisec (Berlin, Germany) | 468 |
| Chemical microsensor systems for medical applications in catheters | 471 |
| Monitoring of antibody-antigen reactions with affinity sensors: experiments and models | 474 |
| Immobilization of thylakoids in polyvinylalcohol for the detection of herbicides | 477 |
| Author Index Volumes B26 and B27 | 480 |
| Subject Index Volumes B26 and B27 | 483 |

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

